

## 13 Oz. Vinyl

**Colors:** Green, Black, Brown, Beige, White, Red, Gray, Royal Blue, Navy Blue

Properties	Test Method	Test Result
Weight (Oz./Yd)	ASTM D-5041	13.2
Thickness (inches)	PCCP	0.017"
Warp Tensile Strength	ASTM D-5100	238 lbs.
Fill Tensile Strength	ASTM D-5100	233 lbs.
Warp Tear Strength	ASTM D-2261	132 lbs.
Fill Tear Strength	ASTM D-2261	126 lbs.
Hydrostratic Resistance	ASTM D-5512	375 lbs./in.

All colors are flame resistant. Flame retardant material available on special order.

**Disclaimer:** Collins Company assumes no liability for the accuracy or completeness of this information or for the ultimate use by the purchaser. Collins Company disclaims any and all express, implied, or statutory standards, warranties or guarantees, including without limitation any implied warranty as to merchantability or fitness for a particular purpose or arising from a course of dealing or usage of trade as to any equipment, materials, or information furnished herewith. This document should not be construed as engineering advice.